OpenWiFi

AP-Management ohne Herstellerbindung?

Heute

- Warum? (guckt ihr euch das an)
- Was? (ist das genau)
- Wie? (geht das)

Ich

- Steffen Klemer sk@gwdg.de
- Netzwerk Architekt
- GWDG
  - RZ der Uni Göttingen (~3300 APs)
  - Cloud- und Consulting DL der MPG
  - Cloud-DL für F&L

Warum?

Enterprise WiFi

- Sehr viele APs und User
- Zentrales Management
- (oft) zentraler Breakout
- WPA[23]?-Enterprise, MPSK
- und ein RADIUS-Server

Sehr viele APs

- Onboarding
- Übersicht/ Datenbank
  - am besten: Gebäudekarten
- (fast) Identische Config
  - Frequenzmanagement
  - Site-Spezifische SSID, VLANs…

Sehr viele APs (2)

- Koordination
  - automatische Frequenzvergabe
  - Sendestärke einmessen
  - Staggered Upgrades
- Roaming
  - 802.11(r,k,v) und proprietäres
- Ortung

Sehr viele User

- Gruppen-Spezifische VLANs
- Client-Isolation
- ggf. High-Density-Bereiche
  - (MU-)MIMO
  - QoS

Zentraler Breakout

- Traffic von allen APs + Usern via Tunnel zu zentral gelegenen Controllern
  - erst dort Zuordnung zum VLAN
- ggf. stellenweise local breakout

AAA

- WPA-Enterprise
- MPSK
- RADIUS
- MDM?

Gibt es doch!

- Seit Jahren fertig zu kaufen
- von 4 bis 5 verschiedenen Herstellern
  - Arista, Aruba (Juniper), Cisco, Extreme, RUCKUS…
- Mal mit, mal ohne AAA-Teil

Eingeübtes Verhalten

- alle 5 bis 7 Jahre werden Controller und APs getauscht
  - alleine schon für neue WiFi-Standards

Warum erzählt er das dann?

- Was kam seit 802.11ac in 2013?
  - Warum kann ich das nicht weiternutzen?
- Was machen die großen Hersteller?
  - Spannende Lizenz-Mietverträge
  - Cloud-Only Management
  - AI
- Souveränitätsfalle?

Was?

Auswege

- Sicher viele verschiedene
- Ein evt. möglicher
  - Zentrales Mgmt auf OpenWRT



- Linux-Distribution für Embedded
- seit ~2003
  - aus den GPL-Quellen des Linksys WRT54G
- Gedacht für WiFi-Router
- Extremer Funktionsumfang, extrem anpassbar
- Kein zentraler Controller vom Projekt selbst
  - ABER: lokales Config-System `uci`

OpenWRT (2)

- Seit 20 Jahren stabil
- Weit verbreiteter Einsatz, u.a.
  - Freifunk
  - Ubiquity
- Industrie-weite Trends kamen von hier
  - L2-Mesh-Netze
  - (anti-)Bufferbloat
  - Build-Tools für Embedded-Images

Zentralisierte OpenWRT-Config

- uci-API-basierte, Ansible-basierte, Shellskripte, rein Image-basierte
- OpenWISP
  - Django-Portal für inventory und base-config
- und einige andere ähnliche Projekte wie zB



OpenWiFi
TELECOM INFRA PROJECT


Telecom Infra Project

Telecom Infra Project (TIP) is a global collaborative community advancing the development and deployment of open, disaggregated, and interoperable telecommunications infrastructure. Through deep collaboration across operators, technology providers, system integrators, startups, and research institutions, TIP turns shared requirements into deployable solutions, reducing complexity, accelerating innovation, and expanding choice across the network stack.

TIP's work spans access, transport, core, and network automation, with a focus on real-world validation through project groups, community labs, testing and certification programs, and ecosystem

Telecom Infra Project (2)




Svalbard
Greenland
Iceland
Sweden
Norway
Russia
22
10
United Kingdom
Belarus
261
Ukraine
Kazakhstan
5
70
Spain
Italy
Uzbekistan
182
114
Turkey
China
Japan
Tunisia
Iraq
Iran
258
Algeria
Libya
Egypt
Saudi Arabia
Pakistan
Nepal
Oman
2
Cuba
167
Senegal
Mali
Yemen
Sudan
Thailand
Philippines
J
Sri Lanka
15
Venezuela
Ecuador
Kenya
Indonesia
Papua New Guinea
Peru
13
Angola
Bolivia
Namibia
Madag
A
Australia
Paraguay
3
2
Argentina
North Atlantic Ocean
South Atlantic Ocean
Indian Ocean
South Pacific Ocean

Telecom Infra Project (3)

- https://www.telecominfraproject.com/participants
- ISPs, OEMs, Solution Provider, Consulting-Firmen
  - u.a. Dell, Deutsche Telekom, Edgecore, Intel, Juniper, Marvell, Nokia, NVIDIA
  - und GWDG :)


Politik

- OpenLAN als Working-Group von TIP
- OpenWiFi als Sub-Group der OpenLAN WG
- Etwas schwierig zu Durchschauen; Onboarding komplex

OpenWiFi

TIP OpenWiFi

OpenWiFi Objectives



Vibrant eco-system

- Diverse supply chain, common tech stack
- Developed by a community & maintained rigorously

Disaggregated

- Choice in hardware, software & controller
- Remove vendor lock-in, open APIs

Fully Open Source


- Enable innovation & new entrants
- Open infrastructure for 3rd party

Goal: Reduce TCO

- OPEX reduction via SW automation
- CAPEX saving with Whitebox model

Copyright © 2021 Telecom Infra Project, Inc.


OpenWiFi (2)


Wi-Fi commercial use cases
Solutions using the OpenWiFi stack
Cloud Controller SDK
Access Point Firmware
Whitebox Access Point (OpenWiFi compliant)
OpenWiFi
TELECOM INFRA PROJECT
Service Providers & Enterprises
Wi-Fi OEMs
Open-Source Community
ODMs

OpenWiFi Architektur

- **API**
- Server
  - Neuentwicklung
- **API**
  - “uCentral”
- Accesspoint
  - Daemon auf OpenWRT
  - Schnittstelle uCentral <-> uci
  - Telemetrie-Erweiterungen
  - Onboarding-Erweiterungen

OpenWiFi Architektur (2)



Verfügbarkeit und Code

- Code ist auf https://github.com/Telecominfraproject/
  - Samt Demo-Umgebungen + Deployment
  - Meist unter BSD 3-clause Lizenz
- API Server in C++
- GUI Server in Typescript
- Deployment via Docker/ k8s
- OpenWRT-Erweiterungen in C
- Bug-Voting u.ä. auf Mitglieder beschränkt

Geräte (offiziell)



Geräte (2)

- Es gibt ein zentraler Interop-Labor, dass alle ~2 Wochen alle unterstützten Geräte testet

Server

- Mikroservice-basiert
- Fokus liegt auf der API
- Fertige GUI für die nötigsten Dinge und als Showcase
- (Stark) integriert mit TIP-zentralen Cloud-Diensten
  - Liste aller Firmwares aller APs via Download
  - Onboarding via Spezial-Sectigo-PKI

Wie?

<Werbung>

ZKI AK Netzdienste

- Vereinigung der IT-Servicezentren der Hochschulen, Universitäten und Forschungseinrichtungen
- Macht mit:
  - https://www.zki.de/unsere-arbeit/arbeitskreise/netzdienste
- 2 Hackatons
  - zusammen ~2 Tage
  - Mit Demo-APs von Stordis (Danke!)

</Werbung>

Test-Dokumentation

- https://gitlab.gwdg.de/zki/ak-netzdienste/zki-openwifi-docs

Testsetup

- Mini-x86-PC (Celeron) mit Debian
- Ein vlan
- Dedizierter DHCP + DNS-Resolver
- Private CA
- 3 AP-Typen
  - EdgeCore mit vorinstalliertem OpenWifi
  - Alter D-Link mit installiertem OpenWRT
  - Unifi AP, der zunächst umgeflasht werden musste

Server-Seite

- Docker-Compose, einen DHCP-Server, NTP, DNS-Resolver installieren; IP-Forwarding aktivieren
- `192.168.42.1 openwifi.wlan.local` in `/etc/hosts`
- https://github.com/Telecominfraproject/wlan-cloud-ucentral-deploy
- Container starten

Wichtig zu wissen

- HTTPS-Zertifikats-Exceptions hinzufügen für alle Mikroservices
- Web-Zugang für die Monitoring und Provisioning-/ Configuration
  - https://openwifi.wlan.local bzw. Port 8443
- Es können nur APs gemanagt werden, deren Typ bekannt ist!
  - AP-Typ + Firmware dem Controller bekannt machen!
  - via API

Bürokratie

- Sicherheit von uCentral basiert auf TLS
- APs müssen dem Server vertrauen
- Server muss den APs vertrauen
- –> Eigene PKI/ CA
  - Root beiden bekannt machen
  - CA-Cert für den Server
  - CA-Cert für ALLE APs ausstellen und verteilen

Der AP gehört zu mir!

- OpenWiFi Firmware aus Upstream OpenWRT mit einigen Patches + zusätzliche Pakete
  - https://github.com/Telecominfraproject/wlan-ap
- Kommerzielle APs fertig bestückt samt Client-Zertifikat für TIP-Sectigo-PKI
  - **Wir wollten das nicht**
  - Hier beginnt der Schmerz, in `/etc/ucentral/ca.pem`
  - …und `operational.pem`… und…

On-Boarding

- Woher kennt ein AP seinen Controller?
  - Fest im Image hinterlegt
  - **Discover via DHCP** oder bekannten DNS-Namen
- Wie bekommt ein AP sein Zertifikat?
  - Fest im Image hinterlegt
  - **Via EST-Server**

EST (RFC 7030)

- EST – Enrollment over Secure Transport
- HTTPS-basiertes Protokoll Cert-Signatur
  - ggf. mit Basic Auth oder Client-Auth
- Wenige (findbare) Implementierungen
  - https://github.com/cisco/libest/tree/main
    - Nur mit einigen Patches aus den PR plus Patch von uns
- EST-Servername kennt der Client anhand des `issue` CAA-Records des Hostnames des Controllers

Openwifize einen OpenWRT AP

- 2 Möglichkeiten
  - Image bauen
  - **Gegen installierten AP treten**
- Was ist zu tun
  - Fehlende Pakete (uCentral) installieren
  - Gepatche Software drüberinstallieren
  - Config etwas anpassen
  - Zertifikate aufspielen
  - Ein AP-Profil erstellen (Steckbrief)

Openwifize einen OpenWRT AP (2)

- Alles in Ansible gegossen
- und auf https://gitlab.gwdg.de/zki/ak-netzdienste/zki-openwifi-docs/ verfügbar

Image von 0 bauen

- Einfach einen Build-Steckbrief schreiben und der README folgen

```
profile: ubnt_unifiac-pro
target: ath79
subtarget: generic
description: Build image for the Unifi AC Pro
image: bin/targets/ath79/generic/openwrt-ath79-generic-ubnt_u
include:
  - ucentral-ap
```

Features

- Jeder AP ist autonom
- WPA-Enterprise, MPSK, VLAN-via-RADIUS, Client-Isolation, Local Breakout, 802.11r
  - 11k und v sollten funktionieren, nicht getestet
- VXLAN-Tunneling (analog CAPWAP), ggf. inkl Wireguard
- **Mitmachaktion:** Ruft ein Feature rein!

Nicht vorhanden


- Gebäudekarten
- Powerlevel einmessen + koordinierte Frequenzwahl
  - ABER: zB Plugin von cloudswit.ch/ Asterfusion
- Rolling Updates
- Jedes Feature der Mitmachaktion von eben, zu dem ‘nein’ gesagt wurde :)


Demo-Time?


Was bleibt?


tl;dl


- OpenWifi eine Industrieweite Aktion für einen WiFi-Controller auf OpenWRT-Basis
- Keine Schlüssselfertige Lösung
- Frickelfaktor 11 (Skala 1-10)
  - Macht mit, ihn unter 5 zu bekommen
- Wir: zki.de/unsere-arbeit/arbeitskreise/netzdienste



OpenWiFi
Devices
Firmware
Scripts
Defaults
Logs
Users
System
Connected Devices
1
Average Uptime
00:00:38:05
61 KB 1 KB
Version 4.2.2
Devices
Default User
DU
5 Devices
Search MACs or radius clients
All
SERIAL NUMBER
SANITY
MEMORY
LOAD
REVISION
TYPE
IP
RAD
UPTIME
LAST CONNECTED
LAST CONTACT
14448fe4bd38 - - - TIP-v4.2.7-02acc62 edgecore_eap101 - - - 24 days ago -
18e829e077eb - - - r32713-f919e7899d ubnt_unifiac-pro - - - 23 days ago -
7483c2b66131 - - - r32713-f919e7899d ubnt_unifiac-pro - - - 2 days ago -
788a204bdfa2 75% 62.2% 0.11% r33051-f5dae5ece4 ubnt_unifiac-pro 192.168.42.... - 00d00h38m01s 2 days ago 42 seconds ago
c412f5aa3ac0 - - - r33051-f5dae5ece4 dlink_dap-2695-a1 - - - 23 days ago -
Page 1 of 1
Go to page 1
Show 10


OpenWiFi
788a204bdfa2
Default User
DU
Connected
75%
Search MACs or radius clients
Devices
Firmware
Scripts
Defaults
Logs
Users
System
Status
No Model Image Found
Model: ubnt_unifiac-pro
Revision: r33051-f5dae5ece4
Uptime: 0 Days, 00:49:34
Load (1 | 5 | 15 m.): 0.15 | 0.11 | 0.11
Local Time: 2026-10-04 19:53:08
Locale: United States
Last Contact: 15 seconds ago
Memory: 117.91 MB 62.21% used
Certificate Expiry: 12 months
Certificate Issuer: ZKI OpenWIFI Lab
Connect Reason: Coldboot
Details
MAC: 78:8a:20:4b:df:a2
Password
Copy
Manufacturer: Ubiquiti UniFi AC Pro
Type: ap
Created: 2026-10-02 15:18:45
Modified: 2026-10-04 19:16:46
Provisioning
Entity: foo-entity
Venue: -
Subscriber: -
Statistics
Data
Upstream
Tx
Rx
4 KB
3.5 KB
3 KB
2.5 KB
2 KB
1.5 KB
1 KB
0.5 KB
0 KB
7:28:05 PM
7:32:05 PM
7:36:05 PM
7:40:05 PM
7:44:05 PM
7:48:05 PM
7:52:05 PM
WI-Fi Analysis
When: 15 seconds ago
Radios (2)
CH. CH. W TX POW. NOISE ACTIVE (MS) BUSY (MS) RECEIVE (MS) SEND (MS)
2G 13 20 20 -95 2,947,062 366,328 258,911 19,237
5G 165 40 13 -105 2,859,425 23,797 0 22,759
Associations (0)
STATION SSID IPS FINGERPRINT VENDOR VLAN MODE RSSI RX RATE
Notes
DATE NOTE BY
2 days ago Auto-provisioned.
Commands
Health Checks
Logs
Crashes
Reboots
Connected Devices
1
Average Uptime
00:00:39:05
63 KB 1 KB
Version 4.2.2



OpenWiFi
Devices
All
Dashboard
Blacklist
Firmware
Scripts
Defaults
Logs
Users
System
Connected Devices
1
Average Uptime
00:00:39:35
63 KB 1 KB
Version 4.2.2
Dashboard
Default User
DU
Last Ping 1 second ago
5
Devices
75%
Overall Health
0
High Memory Devices (>90%)
Status
Connected
Not Connected
Overall Health
>60%
Uptimes
1.0
0.8
0.6
0.4
0.2
0
now
>day
>week
>month
>hour
Memory Use
1.0
0.8
0.6
0.4
0.2
0
< 75%
Vendors
Ubiquiti
Associations
2G
5G
6G
Certificates



OpenWiFi
Devices
Firmware
All
Dashboard
Scripts
Defaults
Logs
Users
System
Connected Devices
1
Average Uptime
00:00:40:05
64 KB 1 KB
Version 4.2.2
Firmware
Default User
DU
Firmware (1)
ubnt_unifiac-pro
Dev Releases
IMAGE DATE
SIZE
REVISION
URI
ACTIONS
3 months ago
27.31 MB
TIP-e248c6f
Copy
https://ftp.gwdg.de/foobar.bin
Page 1 of 1
Go to page
1
Show 10



OpenWiFi
Dashboard
Default User
DU
Devices
Firmware
All
Dashboard
Scripts
Defaults
Logs
Users
System
Last Ping 1 second ago
5
Devices
0%
Up To Date Devices
-
Firmware Age
Up To Date Devices
Up To Date Devices
Unrecognized Firmware
Recognized Firmware
Unrecognized Firmware
r32713-f919e7899d
r33051-f5dae5ece4
OUIs
Ubiquiti
Status
Connected
Not Connected
Device Types
ubnt_unifiac-pro
dlink_dap-2695-a1
edgecore_eap101
Connected Devices
1
Average Uptime
00:00:40:35
64 KB
1 KB
Version 4.2.2



OpenWiFi
Devices
Firmware
Scripts
Defaults
Logs
Users
System
Connected Devices
1
Average Uptime
00:00:40:35
64 KB 1 KB
Version 4.2.2
Scripts
Default User
DU
Scripts (1)
NAME
CREATOR
VERSION
MODIFIED
DESCRIPTION
ACTIONS
ASB Bundle
blogic
1.0
28 days ago
Automated on-demand detailed debugging information collection from an AP
ASB Bundle
Name *
Description
ASB Bundle
Automated on-demand detailed debugging information collection from an AP
Type *
Version *
Creator *
Documentation
Bundle
1.0
blogic
https://telecominfraproject.at
Deferred
Users allowed to run this script
Select...
Results Upload Destination *
Automatic
Custom Domain



OpenWiFi
Entities
Inventory
Operators
Logs
Users
System
Inventory
Default User
DU
Devices (5)
Search
Unassigned Only
SERIAL NUMBER
NAME
ENTITY
VENUE
SUBSCRIBER
DESCRIPTION
MODIFIED
ACTIONS
14448fe4bd38 14448fe4bd38 foo-entity 24 days ago
18e829e077eb 18e829e077eb foo-entity 24 days ago
7483c2b66131 7483c2b66131 foo-entity 24 days ago
788a204bdfa2 inwall-kw foo-entity 2 days ago
c412f5aa3ac0 c412f5aa3ac0 foo-entity 24 days ago
Page 1 of 1
Go to page 1
Show 10



OpenWiFi
Entities
Inventory
Operators
Logs
Users
System
Inventory
Devices (5)
Entity and Venue Navigation
Search for an entity or venue
Expand
Collapse
ZKI Entity TOP
foo-entity
Venue IT Center
SERIAL NUMBE
MODIFIED
14448fe4bd38
24 days ago
18e829e077eb
24 days ago
7483c2b66131
7483c2b66131
foo-entity
24 days ago
788a204bdfa2
inwall-kw
foo-entity
2 days ago
c412f5aa3ac0
c412f5aa3ac0
foo-entity
24 days ago
Page 1 of 1
Go to page
1
Show 10



OpenWiFi
Entities
Inventory
Operators
Logs
Users
System
Version 4.0.0
Default User
DU
foo-entity
foo-entity / ...
Entity
Venue
Details
Name *
foo-entity
Modified
24 days ago
Description
Behaviors
IP Detection
View IPs (0)
RRM
Inherit
Release Candidates Only
Inherit
Firmware Upgrade
Inherit
Inventory
SERIAL NUMBER
NAME
CONFIGURATION
14448fe4bd38
14448fe4bd38
18e829e077eb
18e829e077eb
7483c2b66131
7483c2b66131
788a204bdfa2
inwall-kw
c412f5aa3ac0
c412f5aa3ac0
Page 1 of 1
Go to page
1
Show 10
Configurations
Resources
NAME
DEVICE TYPES
MODIFIED
DESCRIPTION
zki-tagung
*
2 days ago
Locations
Contacts
NAME
COUNTRY
CREATED
MODIFIED
DESCR
Notes
DATE
NOTE
BY
No Notes Found


OpenWiFi
Entities
Inventory
Operators
Logs
Users
System
Version 4.0.0
Configuration
Default User
DU
zki-tagung
Main
Notes
Name *
zki-tagung
Device Types *
All
Release Candidates Only
No
RRM
Inherit
Firmware Upgrade
Inherit
Description
Parent *
foo-entity
In Use By
0 Entity, 0 Venue, 0 Devices
zki-tagung
Metrics
Services
Radios
Interfaces
General Information
Name *
Metrics
Description
Subsections
dhcp-snooping
health
DHCP Snooping
filters *
ack
discover
offer
request
solicit
reply
renew
Statistics
Health
interval *
60
dhcp-local *
dhcp-remote *


2G Radio
5G Radio
General
No Resource Selected
band
5G
bandwidth
5
country
Germany
channel-mode
VHT (A,B,G,N,AC)
channel-width
40 MHz
channel
auto
mimo
4x4
tx-power
0
legacy-rates
maximum-clients
64
multiple-bssid
Advanced Settings
allow-dfs
beacon-rate
None
beacon-interval
100
hostapd-iface-raw
URL param, ex.: test=value
multicast
None
ema
bss-color
64
require-mode
None


SSID *
eduroam-test
bss-mode *
ap
wifi-bands *
2G
5G
Authentication
protocol *
WPA3-Enterprise EAP-TLS
ieee80211w *
required
key-caching
Radius
No Resource Selected
authentication.host *
134.76.10.185
authentication.port *
1812
authentication.secret *
Show
authentication.mac-filter
Enable Accounting
Enable Dynamic Authorization
nas-identifier
chargeable-user-id
Enable Local
Pass Point
Advanced Settings
hidden-ssid *
services
Select...
maximum-clients *
64
fils-discovery-interval
20
purpose
Default
dtim-period
2
isolate-clients *
power-save
broadcast-time
unicast-conversion
proxy-arp
disassoc-low-ack
vendor-elements
tip-information-element


Rate Limit
RRM
neighbor-reporting
lci
civic-location
ftm-responder
stationary-ap
Captive Portal
None
Access Control List
Roaming
Custom
message-exchange *
generate-psk *
domain-identifier
ds
pmk-r0-key-holder
pmk-r1-key-holder


OpenWiFi
Entities
Inventory
Operators
Logs
Users
System
Default User DU
Aula
Göttinger APs / Aula / ...
Venue
Management
Monitoring
Status
1 connected
0 disconnected
Overall Health
75%
1 low-health device
Used Memory
62%
Associations
2G - 0
5G - 1
6G - 0
Top 10 Busiest Devices
Clients
SERIAL NUMBER
RX
TX
2G
5G
6G
HEALTH
MEMORY
788a204bdfa2
30.67 KB
19.99 KB
0
1
0
75%
62%
Live Data
788a204bdfa2
75%
-28dB
1a:94:98:61:b5:62
Connected to: 5G - zki-netze
Data (TX / RX)
Total Data 1.46 MB / 850.23 KB
Delta 19.99 KB / 30.67 KB
Bandwidth 75.48 B / 76.4 B
Packets /s 0.2 / 0.683
MCS 8 / 6
NSS 2 / 2
2G
5G
eduroam-test
zki-netze
1a:94:98:61:b5:62
Client Lifecycle
1a949861b562
TIMESTAMP
BSSID
SSID
RSSI (DB)
NOISE (DB)
CHANNEL
TX POWER
TX RE
41 seconds ago 788a204ddfa2 zki-netze -29 -90 165 13 1
2 minutes ago 788a204ddfa2 zki-netze -28 -90 165 13 1
3 minutes ago 788a204ddfa2 zki-netze -29 -90 165 13 1
6 minutes ago 788a204ddfa2 zki-netze -29 -90 165 13 1
6 minutes ago 788a204ddfa2 zki-netze -29 -90 165 13 1
7 minutes ago 788a204ddfa2 zki-netze -25 -90 165 13 1
7 minutes ago 788a204ddfa2 zki-netze -25 -90 165 13 1
8 minutes ago 788a204ddfa2 zki-netze -25 -90 165 13 1
8 minutes ago 788a204ddfa2 zki-netze -25 -90 165 13 1
9 minutes ago 788a204ddfa2 zki-netze -25 -90 165 13 1
Page 1 of 4
Go to page 1
Show 10